

	Hits	Search Text	DBs
1	21	((("5606693") or ("5668986") or ("5809237") or ("5819066") or ("5838918") or ("5848243") or ("5978811") or ("6016394") or ("6044367") or ("6052720") or ("6075938") or ("6075939") or ("6170061") or ("6341303") or ("6345294") or ("6381324") or ("6401085") or ("6487547") or ("6519640") or ("6564261") or ("6580904"))).PN.	USPAT
2	4914	((build\$4 or creat\$4 or generat\$4) with web with site\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	1569	((((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	1065	(((((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908"))) and interface\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	618	automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	206	(automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	156	((automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")) and interface\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	148	((automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")) and interface\$1) and (modif\$4 or chang\$4 or alter\$4 or amend\$4 or revis\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	146	((automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")) and interface\$1) and (modif\$4 or chang\$4 or alter\$4 or amend\$4 or revis\$4)) and (page\$1 or document\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	145	((automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")) and interface\$1) and (modif\$4 or chang\$4 or alter\$4 or amend\$4 or revis\$4)) and (page\$1 or document\$1)) and (user\$1 or client\$1 or customer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	128	((automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")) and interface\$1) and (modif\$4 or chang\$4 or alter\$4 or amend\$4 or revis\$4)) and (page\$1 or document\$1)) and (user\$1 or client\$1 or customer\$1)) and database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	102	((automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")) and interface\$1) and (modif\$4 or chang\$4 or alter\$4 or amend\$4 or revis\$4)) and (page\$1 or document\$1)) and (user\$1 or client\$1 or customer\$1)) and ((build\$4 or creat\$4 or generat\$4) with datab	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	11	(((((automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")) and interface\$1) and (modif\$4 or chang\$4 or alter\$4 or amend\$4 or revis\$4)) and (page\$1 or document\$1)) and (user\$1 or client\$1 or customer\$1)) and ((build\$4 or creat\$4 or generat\$4) with database\$1)) and (xml or (extensible adj markup a	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	419	xslt or (extensible with stylesheet with language with transfomation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	102	(((((automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")) and interface\$1) and (modif\$4 or chang\$4 or alter\$4 or amend\$4 or revis\$4)) and (page\$1 or document\$1)) and (user\$1 or client\$1 or customer\$1)) and ((build\$4 or creat\$4 or generat\$4) with database\$1)) and (((build\$4 or creat\$4 or generat\$4) with web with site\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	419	xslt or (extensible adj stylesheet adj language adj transfomation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
17	1	(((((automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")) and interface\$1) and (modif\$4 or chang\$4 or alter\$4 or amend\$4 or revis\$4)) and (page\$1 or document\$1)) and (user\$1 or client\$1 or customer\$1)) and ((build\$4 or creat\$4 or generat\$4) with database\$1)) and (xml or (extensible adj markup adj language))) and (xslt or (extensible adj stylesheet adj language adj transformation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	11	(((((automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")) and interface\$1) and (modif\$4 or chang\$4 or alter\$4 or amend\$4 or revis\$4)) and (page\$1 or document\$1)) and (user\$1 or client\$1 or customer\$1)) and ((build\$4 or creat\$4 or generat\$4) with database\$1)) and ((((((automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")) and interface\$1) and (modif\$4 or chang\$4 or alter\$4 or amend\$4 or revis\$4)) and (page\$1 or document\$1)) and (user\$1 or client\$1 or customer\$1)) and ((build\$4 or creat\$4 or generat\$4) with database\$1)) and (xml or (extensible adj markup a	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	138	(automatic\$4 same ((develop\$4 or build\$4 or creat\$4 or generat\$4) with web with site\$1)).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
20	43	((automatic\$4 same ((develop\$4 or build\$4 or creat\$4 or generat\$4) with web with site\$1)).ti,ab.) and (@ad < "20000908")) and (page\$1 or document\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	61	((automatic\$4 same ((develop\$4 or build\$4 or creat\$4 or generat\$4) with web with site\$1)).ti,ab.) and (@ad < "20000908")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	50	(("6026440") or ("6466975") or ("6175831") or ("6633912") or ("5903729") or ("5935210") or ("5778367") or ("5902353") or ("5905862") or ("5920856") or ("5933829") or ("6108656") or ("6167449") or ("5796952") or ("5907322") or ("6138155") or ("5867665") or ("5867667") or ("5870562") or ("5956039") or ("5978773") or ("6021307") or ("6026430") or ("6065051") or ("6188869") or ("6192380") or ("6199048") or ("6209029") or ("6253198") or ("6311194") or ("6321228") or ("6330554") or ("6334111") or ("6338082") or ("6389467") or ("6442549") or ("6456308") or ("6519714") or ("6578078") or ("5966705") or ("5983351") or ("6078916") or ("6313835") or ("6292830") or ("6085220") or ("6278993") or ("5983268") or ("5898836") or ("6175830") or ("6219818")) .PN.	USPAT

	Hits	Search Text	DBs
23	0	((((((((automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")) and interface\$1) and (modif\$4 or chang\$4 or alter\$4 or amend\$4 or revis\$4)) and (page\$1 or document\$1)) and (user\$1 or client\$1 or customer\$1)) and ((build\$4 or creat\$4 or generat\$4) with database\$1)) and (xml or (extensible adj markup adj language))) not ((((((((automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")) and interface\$1) and (modif\$4 or chang\$4 or alter\$4 or amend\$4 or revis\$4)) and (page\$1 or document\$1)) and (user\$1 or client\$1 or customer\$1)) and ((build\$4 or creat\$4 or generat\$4) with database\$1)) and ((((((((automatic\$4 same ((build\$4 or creat\$4 or generat\$4) with web with site\$1)) and (@ad < "20000908")) and interface\$1) and (modif\$4 or chang\$4 or alter\$4 or amend\$4 or revis\$4)) and (page\$1 or document\$1)) and (user\$1 or clie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	9966	((707/1-10) or (707/104.1) or (709/203)).CCLS.	USPAT
25	1261	((715/501.1) or (715/505-508) or (715/513)).CCLS.	USPAT
26	1079 5	(((707/1-10) or (707/104.1) or (709/203)).CCLS.) or (((715/501.1) or (715/505-508) or (715/513)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
27	687	(automatic\$4 same ((develop\$4 or build\$4 or creat\$4 or generat\$4) with web with site\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	1718	(automatic\$4 same ((develop\$4 or build\$4 or creat\$4 or generat\$4) with web with (site\$1 or document\$1 or page\$1 or structure\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	212	((((707/1-10) or (707/104.1) or (709/203)).CCLS.) or ((715/501.1) or (715/505-508) or (715/513)).CCLS.)) and ((automatic\$4 same ((develop\$4 or build\$4 or creat\$4 or generat\$4) with web with (site\$1 or document\$1 or page\$1 or structure\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	212	(((((707/1-10) or (707/104.1) or (709/203)).CCLS.) or ((715/501.1) or (715/505-508) or (715/513)).CCLS.)) and ((automatic\$4 same ((develop\$4 or build\$4 or creat\$4 or generat\$4) with web with (site\$1 or document\$1 or page\$1 or structure\$1)))))) and ((automatic\$4 same ((develop\$4 or build\$4 or creat\$4 or generat\$4) with web with (site\$1 or document\$1 or page\$1 or structure\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
31	204	((((((707/1-10) or (707/104.1) or (709/203)).CCLS.) or (((715/501.1) or (715/505-508) or (715/513)).CCLS.)) and ((automatic\$4 same ((develop\$4 or build\$4 or creat\$4 or generat\$4) with web with (site\$1 or document\$1 or page\$1 or structure\$1)))))) and ((automatic\$4 same ((develop\$4 or build\$4 or creat\$4 or generat\$4) with web with (site\$1 or document\$1 or page\$1 or structure\$1)))))) and (@ad < "20000908")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	163	((((((707/1-10) or (707/104.1) or (709/203)).CCLS.) or (((715/501.1) or (715/505-508) or (715/513)).CCLS.)) and ((automatic\$4 same ((develop\$4 or build\$4 or creat\$4 or generat\$4) with web with (site\$1 or document\$1 or page\$1 or structure\$1)))))) and ((automatic\$4 same ((develop\$4 or build\$4 or creat\$4 or generat\$4) with web with (site\$1 or document\$1 or page\$1 or structure\$1)))))) and (@ad < "20000908")) and database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
33	31	(((((((707/1-10) or (707/104.1) or (709/203)).CCLS.) or (((715/501.1) or (715/505-508) or (715/513)).CCLS.)) and ((automatic\$4 same ((develop\$4 or build\$4 or creat\$4 or generat\$4) with web with (site\$1 or document\$1 or page\$1 or structure\$1)))))) and ((automatic\$4 same ((develop\$4 or build\$4 or creat\$4 or generat\$4) with web with (site\$1 or document\$1 or page\$1 or structure\$1)))))) and (@ad < "20000908")) and database\$1) and (xml or (extensible adj markup adj language))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	10514	(web same site\$1 same (buil\$4 or creat\$4 or generat\$4))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
2	3375	11 and (@ad < "20000908")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
3	1244	12 and (data with (structure\$1 or arrangement\$1 or organization\$1 or construction\$1))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
4	1224	13 and (interface\$1 or screen\$1 or display\$1 or window\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
5	593	14 and ((receiv\$4 or collect\$4 or obtain\$4 or accept\$4 or get\$4) with input\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
6	584	15 and (page\$1 or document\$1 or record\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
7	500	16 and database\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	106	17 and (xml or (extensible adj markup adj language))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
9	101	18 and (html or (hypertext adj markup adj language))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
10	101	19 and (link\$4 or pointer\$1 or hyperlink\$1 or association\$1 or connection\$1 or relation\$1 or relationship\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
11	4204	(web\$1site\$1 with (wizard\$1 or builder\$1 or creator\$1 or generator\$1 or software\$1 or program\$1 or application\$1)) or (site\$1 with builder\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
12	54928	((web\$1site\$1) or site\$1 or (web with site\$1)) with (wizard\$1 or builder\$1 or creator\$1 or generator\$1 or software\$1 or program\$1 or application\$1)) or (site\$1 with builder\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
13	54928	((web\$1site\$1) or site\$1 or (web with site\$1)) with (wizard\$1 or builder\$1 or creator\$1 or generator\$1 or software\$1 or program\$1 or application\$1))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
14	32155	113 and (@ad < "20000908")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	446	(site\$1 with builder\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
16	353	115 and (@ad < "20000908")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
17	4268	114 and (data with (structure\$1 or arrangement\$1 or organization\$1 or construction\$1))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
18	3942	117 and (interface\$1 or screen\$1 or display\$1 or window\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
19	1824	118 and ((receiv\$4 or collect\$4 or obtain\$4 or accept\$4 or get\$4) with input\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
20	1335	119 and (page\$1 or document\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
21	967	120 and database\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
22	113	121 and (xml or (extensible adj markup adj language))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
23	105	122 and (html or (hypertext adj markup adj language))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
24	105	123 and (link\$4 or pointer\$1 or hyperlink\$1 or association\$1 or connection\$1 or relation\$1 or relationship\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
25	51956	((web with site\$1) or (web\$1site\$1) or site\$1) same (buil\$4 or creat\$4 or generat\$4) same (wizard\$1 or program\$1 or application\$1 or software\$1 or method\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
26	14164	((web with site\$1) or (web\$1site\$1) or site\$1) with (buil\$4 or creat\$4 or generat\$4) with (wizard\$1 or program\$1 or application\$1 or software\$1 or method\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
27	8294	126 and (@ad < "20000908")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
28	3180	((web with site\$1) or (web\$1site\$1) or site\$1) with (buil\$4 or creat\$4 or generat\$4) with (wizard\$1 or program\$1 or application\$1 or software\$1 or method\$1)).ti,ab.	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
29	2162	128 and (@ad < "20000908")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
30	110	129 and (data with (structure\$1 or arrangement\$1 or organization\$1 or construction\$1))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
31	62	130 and (page\$1 or document\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
32	250	129 and (page\$1 or document\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
33	33	133 and ((receiv\$4 or collect\$4 or obtain\$4 or accept\$4 or get\$4) with input\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	1694	((creat\$4 or generat\$4) with database\$1) and ((buil\$4 or generat\$4 or creat\$4) with web with site\$1) and (updat\$4 or modif\$4) and (object\$1 or item\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
2	499	134 and (@ad < "20000908")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
3	491	135 and (page\$1 or document\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
4	336	136 and ((creat\$4 or generat\$4) with (object\$1 or item\$1))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
5	2	138 and ((document adj type adj definition) or dtd)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
6	3	137 and ((extensible adj markup adj language) or xml) and ((extensible adj stylesheet adj language) or xslt)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
7	8	((creat\$4 or generat\$4) with database\$1) and ((buil\$4 or generat\$4 or creat\$4) with web with site\$1) and (updat\$4 or modif\$4) and (object\$1 or item\$1)).ti,ab.	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	8	140 not 138	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	461	((buil\$4 or creat\$4) with web with site\$1) and ((xml or "extensible markup language") with (template\$1 or structure\$1 or arrangement\$1 or page\$1))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
2	86	11 and (@ad < "20000908")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
3	73	12 and automatic\$6	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
4	650	((buil\$4 or creat\$4 or generat\$4) with web with site\$1) and ((xml or "extensible markup language") with (template\$1 or structure\$1 or arrangement\$1 or page\$1))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
5	102	14 and (@ad < "20000908")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
6	10	12 and (automatic\$6 with ((buil\$4 or creat\$4 or generat\$4) with web with (site\$1 or page\$1 or document\$1)))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hit s	Search Text	DBs
1	1	("6185587").PN.	USPAT
2	1	("6154738").PN.	USPAT
3	11	(("5625816") or ("5890147") or ("6148410") or ("6151601") or ("6182111") or ("6286038") or ("6330575") or ("6484150") or ("6519571") or ("6611834") or ("6629135")).PN.	USPAT